


5-Port Fast Ethernet Desktop PoE Switch

SF1005P




PoE



Plug & Play



Energy-Saving



Auto MDI/MDIX corrects errors in cable selection

The SF1005P makes it possible to automatically correct errors in cable selection, making the distinction between a "straight through" cable and a "crossover" cable unimportant.

Support Power over Ethernet (PoE)

Power over Ethernet (PoE) is a standard that allows Ethernet cables to simultaneously transmit data and power using a single network cable. This allows system integrators and network installers to deploy powered devices in locations that lack electrical circuitry.

Specifications

General

- Standards: IEEE 802.3、IEEE 802.3u、IEEE 802.3x、IEEE 802.3af、IEEE 802.3at
- Protocol: CSMA/CD
- Data Rate:
 - Ethernet: 10Mbps (Half Duplex)/20Mbps (Full Duplex)
 - Fast Ethernet: 100Mbps (Half Duplex)/200Mbps (Full Duplex)
- Transmission Method: Store-and-Forward
- Port Features:
 - All ports have line speed forwarding capability
 - Automatic port negotiation, automatic MDI / MDIX;

Hardware

- LED Indicators: Link/Act, PoE, Power, Uplink
- MAC Address Table: 1K entries per device
- Power Supply: DC 48V 0.5A
 - Power Consumption: <24W
 - Maximum PoE Output Power: 20W
- Dimensions (W×D×H): 137mm x 83.5mm x 26.5mm

Environment

- Operating Temperature: 0°C~40°C (32°F~104°F)
- Storage Temperature: -40°C~70°C (-40°F~158°F)
- Relative Humidity: 10%~90%, non-condensing
- Storage Humidity: 5%~90%, non-condensing

Package Contents

- 1 x 5-Port Desktop PoE Switch
- 1 x Power Adapter
- 1 x User manual