

8-Port Fast Ethernet Desktop Switch

SF1008D



Plug & Play



Energy-Saving

Specifications

General

- Standards: IEEE 802.3, IEEE 802.3u, IEEE 802.3x
- Protocol: CSMA/CD
- Data Rate:
 - Ethernet: 10Mbps (Half Duplex)/20Mbps (Full Duplex)
 - Fast Ethernet: 100Mbps (Half Duplex)/200Mbps (Full Duplex)
- Transmission Method: Store-and-Forward
- Switching Features:
 - MAC address auto-learning and auto-aging
 - Half and Full Duplex
 - 1.6Gbps backplane bandwidth

Hardware

- Interfaces: 8 x 10/100Base-TX Port, 1 x Power Connector
- LED Indicators: LAN1~LAN8, Power
- MAC Address Table: 2K entries per device
- Power Supply: DC 12V 0.5A
- Dimensions (W×D×H): 150mm x 90mm x 27mm
- Weight: 155g

Environment

- Operating Temperature: 0°C~40°C (32°F~104°F)
- Storage Temperature: -40°C~70°C (-40°F~158°F)
- Relative Humidity: 10%~90%, non-condensing
- Storage Humidity: 5%~90%, non-condensing

Package Contents

- 1 x 8-Port Desktop Switch
- 1 x Power Adapter
- 1 x User Manual